

Message

From: Nanda, Sushila [Nanda.Sushila@epa.gov]
Sent: 8/30/2021 9:26:37 PM
To: Lazos, Pamela [Lazos.Pamela@epa.gov]
CC: Maslowski, Steven [Maslowski.Steven@epa.gov]
Subject: RE: GI

Steve already sent it to me.

Thanks though.

I had not seen Chrisna's chart until Steve sent it.

From: Lazos, Pamela <Lazos.Pamela@epa.gov>
Sent: Monday, August 30, 2021 5:12 PM
To: Nanda, Sushila <Nanda.Sushila@epa.gov>
Cc: Maslowski, Steven <Maslowski.Steven@epa.gov>
Subject: FW: GI

Sorry, I'm just catching up on email after a really action-packed day. Forwarding this to you, Sushila, since I think last week when Steve asked you said you didn't have any leads on GI so thought you might want this.
pl

From: Maslowski, Steven <Maslowski.Steven@epa.gov>
Sent: Friday, August 27, 2021 9:07 AM
To: Ahearn, Devon (ENRD) <Devon.Ahearn@usdoj.gov>; Lazos, Pamela <Lazos.Pamela@epa.gov>
Subject: FW: GI

Here are the latest GI CDs from Chrisna Baptisia at OECA.

Steve Maslowski
NPDES Section
EPA Region III
215-814-2371

From: Baptista, Chrisna <Baptista.Chrisna@epa.gov>
Sent: Tuesday, August 24, 2021 10:56 PM
To: Maslowski, Steven <Maslowski.Steven@epa.gov>
Cc: Lunn, Jacob <Lunn.Jacob@epa.gov>
Subject: RE: GI

Hi Steve,

Jacob and I are covering GI since Sarah left. [REDACTED] is a recent GI CD – it was entered on March 4, 2021. Attaching the version that went to DOJ for signature (I don't have a copy of the entered CD).

From Sarah's list of muni CDs that she used to maintain, here are the ones that were identified as having a GI component:

Nonresponsive based on revised scope

CITY OF HARRISBURG, PA (R3)- PARTIAL CD	02/10/2015 – Date of Lodging 08/24/2015-- Date of Entry	SSOs & CSOs & MS4	G/I- Yes; Next Gen- Yes
---	--	-------------------------	----------------------------

Nonresponsive based on revised scope

Nonresponsive based on revised scope

Nonresponsive based on revised scope

Chrisna Baptista, Attorney-Advisor
Municipal Enforcement Branch
Water Enforcement Division
Phone: (202) 564-4272
E-mail: baptista.chrisna@epa.gov

From: Maslowski, Steven <Maslowski.Steven@epa.gov>
Sent: Tuesday, August 24, 2021 11:46 AM
To: Baptista, Chrisna <Baptista.Chrisna@epa.gov>
Subject: FW: GI

Hi Chrisna,

Since Sarah left are you the new GI person in the WED? The reason I ask is that Capital Region Water in Harrisburg is pushing back on the GI requirements in the draft amended CD. We took the requirements we used in the Lancaster CD and copied them into the Harrisburg CD. The opposing counsel said that other than Nonresponsive based on revised scope there are no GI requirements in any other CDs. We both know this is not true. Can you point out any recent CDs that have GI requirements for O&M and monitoring that we can use as examples.

Your assistance is appreciated.

Steve Maslowski
NPDES Section
EPA Region III
215-814-2371

From: Ahearn, Devon (ENRD) <Devon.Ahearn@usdoj.gov>
Sent: Tuesday, August 24, 2021 11:34 AM
To: Maslowski, Steven <Maslowski.Steven@epa.gov>; Lazos, Pamela <Lazos.Pamela@epa.gov>; Tom Rowlett <tom.rowlett@pgenv.com>
Subject: RE: GI

Thanks, Steve. Can you point me to another CD with GI requirements other than Nonresponsive based on revised scope? I just need the case name(s) and can pull the docs. I'd like to get a sense of how we've approached this in other contexts.

Thanks,

Devon

Devon Ahearn
Trial Attorney
Devon.ahearn@usdoj.gov
(202) 514-2717

From: Maslowski, Steven <Maslowski.Steven@epa.gov>

Sent: Tuesday, August 24, 2021 10:12 AM

To: Lazos, Pamela <Lazos.Pamela@epa.gov>; Ahearn, Devon (ENRD) <Devon.Ahearn@usdoj.gov>; Tom Rowlett <tom.rowlett@pgenv.com>

Subject: GI

We want to have GI requirements in the CD, because its enforceable. GI CD requirements are in all other CDs we have done.

Steve Maslowski
NPDES Section
EPA Region III
215-814-2371